



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/610,497

06/30/2003

James Stuart Wight

5376

43831

7590

09/19/2006

BERKELEY LAW & TECHNOLOGY GROUP
1700NW 167TH PLACE
SUITE 240
BEAVERTON, OR 97006

EXAMINER

TRINH, MICHAEL MANH

ART UNIT

PAPER NUMBER

2822

DATE MAILED: 09/19/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)	
	10/610,497	WIGHT ET AL.	
	Examiner	Art Unit	
	Michael Trinh	2822	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 10 July 2006.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,2 and 14-41 is/are pending in the application.
- 4a) Of the above claim(s) 14-41 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1 and 2 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

Art Unit: 2822

DETAILED ACTION

*** This office action is in response to Applicant's Amendment filed July 10, 2006. Claims 3-13 were canceled. Claims 1-2,14-41 are pending, in which claims 14-41 are non-elected invention.

*** The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Election/Restrictions

1. This application contains claims 14-41 drawn to a constructively non-elected invention in the last office action. A complete reply to the final rejection must include cancellation of nonelected claims or other appropriate action (37 CFR 1.144) See MPEP § 821.01.

Claim Rejections - 35 USC § 103

2. Claims 1-2 are rejected under 35 U.S.C. 103(a) as being unpatentable over Busking et al (6,107,684) in view of Gonda (4,924,195) and Seshita (6,366,770).

Busking et al teach an integrated circuit package comprising an integrated circuit die 5 (Figs 2-4; col 2, line 53 through col 4) having at least one circuit etched thereon (col 1, lines 15-33), wherein the circuit comprises elements which require theoretical values, and wherein the circuit also includes a on-die component 8 of bond wires (Fig 3B; col 3, lines 20-35); and a housing 11 containing said integrated circuit die 5 (col 2, lines 53-67; col 3, lines 1-14), wherein the integrated circuit die 5 is electrically coupled to the housing using at least one wire bonds 4,6,8 (Figs 1A-4B); and wherein the at least wire bonds have an inductance associated therewith (col 3, lines 50-60; line 28 through col 4; Figs 5,1A-4B), wherein the theoretical values of the elements of the circuit required by the integrated circuit are actually incorporated into the circuit through the use of wire bonds having a pre-determined inductance values, and wherein the wire bond and it's inductance are used in operation of the integrated circuit package including the at least one circuit, since the wire bonds are actually electrically coupled to the circuits formed in the die, and wherein a series inductance value of the integrated circuit is realized by a pre-determined inductance value of a wire bond (e.g. as shown in Figure 3B, a series inductance including an inductance of the bond wire 4b, an inductance of the inductor 8, and an inductance of the bond-wire 1; and, as shown in Figure 4B and 5, another series inductance including an

Art Unit: 2822

inductance of the bond wire 4, an inductance of the signal pin 1, and inductance of the bond-wire 6). Busking also discloses a method comprising of making available wire bonds 4,6,8 for electrically connected to circuit formed in the die 5, wherein the wire bonds 4,6,8 generate an amount of inductance during operation of the circuits, wherein the inductance of the wire bonds are actually used in operation of a circuit contained in an integrated circuit package comprising making available wire bond inductance to the circuit from the wire bonds (Figs 5, 1A-4A, col 3, line 15 through col 4), wherein the circuit is contained in an integrated circuit die 5 housed in the integrated circuit package (Figs 1A-4B, col 2, line 53 through col 3).

Busking already teaches an integrated circuit die having at least one circuit including at least one elements 8, but lacks having the circuit comprising an impedance inverter (claim 2), and having elements which require theoretically negative reactive component values (claim 1).

However, Gonda teaches (at col 3, lines 9-38) forming an integrated circuit die having at least one circuit, wherein the circuit comprising an impedance inverter (re claim 2, col 3, lines 9-20) which is having elements including negative inductance shunt arms, which elements require theoretically negative reactive component values (re claim 1). Seshita teaches (at Figs 1A,2; col 5, line 16 through col 6) forming an integrated circuit die having at least one circuit, wherein the circuit comprising inductor elements (MC1b, MC2b, MC3b) having theoretical values, wherein the theoretical values of the elements of the circuit required by the integrated circuit are actually incorporated into the circuit through the use of wire bonds 20h,20i,20j having a pre-determined inductance values, and wherein the wire bond inductance is used to facilitate operation of the at least one circuit.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to form the integrated circuit die having at least one circuit of Busking by forming at least one circuit comprising an impedance inverter, which is having elements which require theoretically negative reactive component values, as taught by Gonda and Seshita. This is because of the desirability to form an integrated circuit die of crystal oscillators that can be operated in the high frequency (HF) and ultra high frequency (UHF) band, and to serve as a buffer and impedance transformer between the low impedance output and the high impedance of a load, wherein using available wire bonds as an inductor element would save area for other devices, would reduce processing steps and production cost.

Response to Arguments

3. Applicant's remarks filed July 10, 2006 have been fully considered but they are not persuasive, and in moot of new ground of rejection.

Applicant remarked that "...Busking merely teaches a parallel resonant circuit to tune the parasitic resistance using a bond wire.... However, Busking [or other relied references] do not teach or suggest wherein *a series inductance value, wherein the series inductance value of the impedance inverter is realized by the pre-determined inductance value of a wire bond*" (underline added).

In response, this is noted and found unconvincing. First, claimed subject matter, not the specification, is the measure of invention. Limitations in the specification cannot be read into the claims for the purpose of avoiding the prior art. In *Re Self*, 213 USPQ 1,5 (CCPA 1982); In *Re Priest*, 199 USPQ 11,15 (CCPA 1978). Second, in one aspect of the invention, it is noted Busking teaches (at col 3, lines 54-55) that a capacitor b and an inductance d of bond-wire 6 forms a parallel resonant circuit (Figs 5,4B,4A). However, in another aspect of the invention, Busking also clearly teaches and shows (at Figure 4B; col 3, lines 50-60, 35-49) a series inductance value of the integrated circuit realized by a pre-determined inductance value of a bond wire (e.g. the bond wire 4b as shown in Figure 3B; or the bond wire "c" as shown in Figure 5; or the bond wire 4 as shown in Figure 4B). Indeed, as shown in Figure 3B of Busking, the circuit includes a series inductance including an inductance of the bond wire 4b, an inductance of the inductor 8, and an inductance of the bond-wire 1. Especially, the bond wire 4 b as shown in Figure 3B of Busking is clearly in serial connection with the inductor 8. Additionally, as shown in Figure 4B and 5 of Busking, another series inductance including an inductance of the bond wire 4, an inductance of the signal pin 1, and inductance of the bond-wire 6). As each of the bond wires actually and inherently has an inductance, and as each of the wire bonds is actually and electrically coupled to the circuits formed in the die, the theoretical values of the elements of the circuit required by the integrated circuit are actually incorporated into the circuit through the use of these wire bonds having a pre-determined inductance values, wherein the wire bond and it's inherent inductance are used in making and operation of the integrated circuit package including the at least one circuit.

Art Unit: 2822

Moreover, in addition to the series inductance of the bond wires 4b and "c" as taught by Busking above, Gonda also clearly (at col 3, lines 9-20) "...an impedance inverter in the form of a pi circuit with an inductance series arm...The pi section shown in FIG. 3, in which L_i is the value of series inductance...will perform impedance inversion...".

As already of record, Gonda (4,924,195) clearly teaches (at col 3, lines 9-20) forming the circuit comprising an impedance inverter which is having elements including *negative inductance shunt arms, which elements require theoretically negative reactive component values...*, and, wherein "...an impedance inverter in the form of a pi circuit with an inductance series arm...The pi section shown in FIG. 3, in which L_i is the value of series inductance...will perform impedance inversion...". Also, Seshita (6,366,770) teaches (at Figs 1A,2; col 5, line 16 through col 6) forming an integrated circuit die having at least one circuit, wherein the circuit comprising inductor elements (MC1b, MC2b, MC3b) having theoretical values, wherein the *theoretical inductance values* of the inductor elements of the circuit required by the integrated circuit *are actually incorporated into the circuit through the use of bond wires 20h,20i,20j*, wherein each of the bond wires inherently has a pre-determined inductance value, wherein each of the bond wires is serially connected with the inductor elements formed on the die, and actually and electrically coupled to the circuit formed in the die (see Figure 3 of Seshita). Accordingly, the rejection is not overcome by pointing out that one reference does not contain a particular limitation when reliance for that teaching is on another reference. In Re Lyons 150 USPQ 741 (CCPA 1966). Moreover, as here, the rejection is based on combinations of references. In Re Keller, 208 USPQ 871 (CCPA 1981); In Re Young, 159 USPQ 725 (CCPA 1968).

The Examiner recognizes that references cannot be arbitrarily combined and that there must be some logical reason why skilled in the art would be motivated to make the proposed combination of references. In re Regel 188 USPQ 136 (CCPA 1975). The test for combining references is what the combination of disclosures taken as a whole would suggest to one of ordinary skill in the art. In re McLaughlin 170 USPQ 209 (CCPA 1971); In re Rosselet 146 USPQ 183 (CCPA 196). References are evaluated by what they collectively suggest to one versed in the art, rather than by their specific disclosures. In Re Simon, 174 USPQ 114 (CCPA 1972); In Re Richman 165 USPQ 509, 514 (CCPA 1970).

Art Unit: 2822

Furthermore, as described above, the relied references including Busking, Gonda, and Seshita prima facie teach all product limitations as claimed. Accordingly, a "product by process" claim (or any process limitations) is directed to the product per se, no matter how actually made, *In re Hirao*, 190 USPQ 15 at 17 (footnote 3). See also *In re Brown*, 173 USPQ 685; *In re Luck*, 177 USPQ 523; *In re Fessmann*, 180 USPQ 324; *In re Avery*, 186 USPQ 161; *In re Wertheim*, 191 USPQ 90 (209 USPQ 554 does not deal with this issue); *In re Marosi et al*, 218 USPQ 289; and particularly *In re Thorpe*, 227 USPQ 964, all of which make it clear that it is the patentability of the final product per se which must be determined in a "product by process" claim, and not the patentability of the process, and that an old or obvious product produced by a new method is not patentable as a product, whether claimed in "product by process" claims or not.

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael M. Trinh whose telephone number is (571) 272-1847. The examiner can normally be reached on M-F: 9:00 Am to 5:30 Pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Zandra Smith can be reached on (571) 272-2429. The central fax phone number is (703) 872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Oacs-3



Michael Trinh
Primary Examiner